

Ameri-Brand Products, Inc. 4619 Olive Highway Oroville, CA 95966

www.websweeper.com

Phone: 530-589-2887 Phone: 800-982-6966 Fax: 530-589-2510 E-mail: info@go-ab.com

Custom Shape Pool Cover Specifications

Name		Phone				
Address		Fax				
City		E-mail				
State Zip		Representative				
Notes						
Purpose	ASTM	Strap Spacing	Material			
Quote Order	Yes No	3 Foot 5 Foot	Safety Mesh Solid Vinyl			
Color	Coping Material	Anchor Type	Options			
Green Blue Gray Tan Black	Concrete Other	Concrete Wood Deck Other	Y Strap Drain Panel Auto-Pump			
	Dimensions (feet & inches)				
Step Dimensions (if applicable)		How far from the waters edge is the nearest unmovable object?				
Diagram						

Draw a rough diagram of the pool as you measured it with "piont A" on the left.



Ameri-Brand Products, Inc. 4619 Olive Highway Oroville, CA 95966

www.websweeper.com

Phone: 530-589-2887 Phone: 800-982-6966 Fax: 530-589-2510 E-mail: info@go-ab.com

A B Measuring System

Precise Measuring for Pool Covers and Pool Domes

(Please record values in feet and inches, to the nearest inch)

	Feet	Inches						
A-B Line Length			Name					
Cross Check 1			Notes					
Cross Check 2								
Measurements								
A ft in	B ft in		B in ft in	A ft in	B ft in			
1				31				
2		17		32				
3		18		33				
4		19		34				
5		20		35				
6		21		36				
7		22		37				
8		23		38				
9		24		39				
10		25		40				
11		26		41				
12		27		42				
13		28		43				
14		29		44				
15		30		45				



Ameri-Brand Products, Inc. 4619 Olive Highway Oroville, CA 95966

www.websweeper.com

Phone: 530-589-2887 Phone: 800-982-6966 Fax: 530-589-2510 E-mail: info@go-ab.com

Custom Shape Pool Cover Form

Pool Details Y		
Are there any non-removable ladders, handrails, grabrails, or fillspouts? a. A-B dimensions are required. Measure after all pool points are finished. Include on sketch. Fill out "cutouts" section on A-B worksheet.		
Are there any slide legs within 2 feet of the pool's edge? a. A-B dimensions are required for each leg. Measure after all pools points are finished. Include on sketch. Fill out "cutouts" section on A-B Worksheet.		
3. Is there a dive stand requiring a cutout? a. Distance from pool b. Width of stand		
4. Is the diving board removable? a. Will a Y-Strap be required? b. At what point?		
5. Are there any grab rocks or dive rocks? a. Please send a photo. b. A-B dimensions are required at short intervals around pool side of rocks. Include in A-B. Include on sketch.		
6. Are there any waterfalls or rock formations? a. Please send a photo. b. A-B dimensions are required at short intervals around pool side of rocks. Include in A-B as you measure around the pool. Include on sketch.		
7. Is there a spa? a. Please send a photo. b. Will spa be included in this quote / order? c. Is a separate cover required for spa? Distance between pool and spa at closest point d. Is spa raised above deck level? e. Is spa dividing wall flush with top of coping? f. Does spa have a spillway? A-B dimensions are required to locate spillway. Measure after all pool points are finished.	00 00	0 00 000
8. Is there a planter or grass area? a. Please send a photo. b. A-B dimensions are required. Measure after all pool points are finished. Include in sketch.		
c. Do you want Rayner to supply the lawn stakes?(Number of stakes must not exceed 10% of total anchors for safety and warranty.)		
 9. Is there a raised deck area? a. Please send a photo. b. A-B dimensions are required. Measure all points at the same level as the coping after all pool points are finished. Indicate on sketch. c. Raised deck from point to point d. How high is it raised from deck level? 		
10. Is there a raised wall, raised bond beam or raised planter?a. Please send a photo.b. A-B dimensions are needed at beginning and end of wall and at small intervals along pool side of wall. Measure all		
points at same level as coping. c. Can the wall be drilled into to hold wall anchors? Note: Rayner does not supply wall anchors. d. What type of material is on the wall face? e. Height of wall?		